

BF-24800 CART WITH PULL-OUT TRAYS-31"H

INV#07951


ASSEMBLY INSTRUCTIONS

Made In China



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts, which may have came loose inside the carton during shipment. Count all parts and material hardware, then compare with parts list to be sure all parts are present. If any parts are missing or damaged, phone, fax, or mail to our Customer Service Department for efficient and speedy service. Please indicate the model number and code letter of part(s) needed.

IMPORTANT NOTE: Follow instructions listed below in proper sequence as numbered to assure fast, easy and correct assembly.




A 4	N	
M	N	O
	LARGE	LAROF
LARGE RIGHT TRAY PANEL SIDE-1PC	TRAY PANEL BACK-1PC	LARGE TRAY PANEL FORNT-1PC
Р	Q	R
\sim		
CAM-TOOL-1PC	CAM-BOLTS-14PCS	CAM-LOCKS-14PCS
S 11mm×1"	T	U 6mm×3/4"
Dannan .		WITTE
SCREWS-4PCS	ALLEN WRENCH-1PC	SCREWS-80PCS
V	W 8mm×1"	X
~~		
	Matthew	
	₹9	
CASTERS-4PCS	SCREW-1PC	SPANNER-1PC
NOTE:THE SLIDENCE WITH THE STICKED IS THE DACK SIDE		
NOTE: THE SURFACE WITH THE STICKER IS THE BACK SIDE.		


NOTE: • UPON OPENING THOROUGHLY CLEAN ALL WOODS SURFACES TO REMOVE DUST

AND DIRT THAT MAY HAVE SETTLED ONTO FINISH DURING SHIPMENT. IN ORDER

TO PREVENT DAMAGE DURING ASSEMBLY, PLEASE ASSEMBLE THIS ITEM WITH AT

LEAST TWO PEOPLE.






NOTE: TURN THE CAM-BOLT SCREWS UNTIL THEY


ARE TIGHT, THE SHOULDER SHOULD BE

AGAINST THE SURFACE OF THE PART.

HOW TO USE THE CAM-TOOL




NOTE: • THE ARROWS ON THE HIDDEN CAM-LOCKS SHOULD POINT TO THE CAM-BOLTS




1). ASSEMBLE THE LEFT SIDE PANEL(B).

- ROTATE THE 4 CAM-BOLTS(Q) INTO THE HOLES IN THE LEFT SIDE PANEL(B).
- PLACE THE CAM-BOLTS(Q) INTO THE HOLES IN THE PANELS(D/F) AND USING 4 CAM-LOCKS(R).




2). ASSEMBLE THE RIGHT SIDE PANEL(C).

- ROTATE THE 4 CAM-BOLTS(Q) INTO THE HOLES IN THE RIGHT SIDE PANEL(C).
- PLACE THE CAM-BOLTS(Q) INTO THE HOLES IN THE PANELS(D/F) AND USING 4 CAM-LOCKS(R).




3). ASSEMBLE THE BOTTOM PANEL(E).

• ATTACH THE BOTTOM PANEL(E) TO SIDE PANELS(B/C) USING 4 SCREWS(S).




4). ASSEMBLE THE CASTERS(V).

• ROTATE THE 4 CASTERS(V) INTO THE HOLES IN THE SIDE PANEL(B/C) USING SPANNER(X).




5). ASSEMBLE THE TOP PANEL(A).

- ROTATE THE 6 CAM-BOLTS(Q) INTO THE HOLES IN THE TOP PANEL(A).
- PLACE THE CAM-BOLTS(Q) INTO THE HOLES IN THE PANELS(B/C/F) AND USING 6 CAM-LOCKS(R).
- ROTATE THE SCREW(W) INTO THE HOLE IN THE PANEL(D).




6). ASSEMBLE THE LARGE TRAY.

- ATTACH LARGE TRAY PANEL SIDES(L/M) TO LARGE TRAY PANEL BACK(N) USING 4 SCREWS(U).
- ATTACH LARGE TRAY PANEL FORNT(0) BETWEEN LARGE LEFT TRAY PANEL SIDE(L) AND LARGE RIGHT TRAY PANEL SIDE(M) USING 4 SCREWS(U).
- ATTACH TRAY PANEL BOTTOM(K) TO PANEL(L/M/N/O) USING 12 SCREWS(U).



7). ASSEMBLE THE SMALL TRAY.

- ATTACH SMALL TRAY PANEL SIDES(G/H) TO SMALL TRAY PANEL BACK(I) USING 4 SCREWS(U).
- ATTACH SMALL TRAY PANEL FORNT(J) BETWEEN SMALL LEFT TRAY PANEL SIDE(G) AND SMALL RIGHT TRAY PANEL SIDE(H) USING 4 SCREWS(U).
- ATTACH TRAY PANEL BOTTOM(K) TO PANEL(G/H/I/J) USING 12 SCREWS(U).



8). ASSEMBLE THE TRAYS.

• INSERT ALL THE TRAYS INTO THE SLIDERS.